Transaction Information

| Tool ID | 33B50A |
|---------------------|-----------------|
| Tool Status | Connected |
| Location | Burlington, USA |
| Wafer Size | 300 mm |
| Fab Section | Test |
| Tool Available Date | 2025-03-11 |

General Product Information

| Vendor Supplier | TEL |
|-------------------|---------------------------------|
| Model | P12XL |
| Vintage | 2002 |
| Serial No | PH03807 |
| Asset Description | TEL P12XL prober dual load port |
| Software Version | Rby00-R016.02U1 |
| СІМ | RS232 |
| Process | Test |

Hardware Configuration

| System Type | Description | Quantity | Status |
|-------------------|--------------|----------|--------|
| Factory Interface | FOUP | 2 | ОК |
| Others | | | |
| Handler System | pincette | 2 | |
| Options System | LTI unit | 1 | ОК |
| Main System | Prober | 1 | ОК |
| Options System | CR385PH HTTD | 1 | ОК |
| Options System | D250 chiller | 1 | ОК |

Excluded Items List (Pumps, Chillers & Abatement are all excluded)


| Description | Quantity |
|-------------|----------|
| | |
| | |
| | |


* List above may or may not be comprehensive. Tool is sold in "as-is" condition. To ensure your satisfaction, we strongly recommend to make an appointment to inspect this and every tool you are interested in.


Tool Pictures


















| Manufacture Serial |
|--|
| TOKYO ELECTRON LIMITED |
| Manufacturer: TOKYO ELECTRON AT LIMITED Fujii Plant 2381-1 Kitagejo, Fujii-cho Nirasaki-City, Yamanashi 407-8511 JAPAN Model : P-12XL Serial No: PHO3807 Manufactured : 2002,Dec Weight: 2194 kg Rated Power Input : AC _208 V 50/60 Hz _1 & \$43.24\$ VA 15.6 A A Rated Breaker Input: .30 A Ampere Interrupt Capacity: .35 kA Rated Maximum Motor: 100 VAC 50/60 Hz _1 & \$900 VA _9 A Air : 0.45 - 0.7 MPa _27 @ /min Vacuum : -0.05M9# or less Vacuum Reference Drawing : 3197 - 720020 - 21 MADE IN JAPAN |
| C A |