

Transaction Information

| | |
|------------|----------------|
| ToolId | MNA2103 |
| ToolStatus | Connected Idle |
| Location | Malta, NY |
| WaferSize | 300 mm |
| FabSection | Support Tools |

General Product Information

| | |
|------------------|--------------------------------|
| VendorSupplier | DESPATCH |
| Model | PWB-48X38X64-3E |
| Vintage | 2011 |
| SerialNo | 183011 |
| AssetDescription | DESPATCH Bake-out Cabinet Oven |
| SoftwareVersion | N/A |
| CIM | |
| Process | Drying Oven |

Hardware Configuration (Fab)

| SystemType | Description | Quantity | Status |
|-------------------|--------------------------------|----------|--------|
| Main System | DESPATCH Bake-out Cabinet Oven | 1 | OK |
| Factory Interface | NONE | 0 | |
| Handler System | N/A | 0 | |
| Options System | N/A | 0 | |
| Others | | | |

Hardware Configuration (Subfab / Auxilliary Units)

| Description | Quantity | Status |
|-------------|----------|--------|
| N/A | 0 | |

Missing/Faulty Parts / Accesories List

| Description | Quantity |
|-------------|----------|
| NONE | 0 |

Tool Pictures

| | |
|---------|---------|
| general | General |
|---------|---------|

MNA2103



2025/01/03 10:00
MNA2103
MNA2103

Item Number: MNA2103
Inventory: 1

MNA2103
BDBV5

| | |
|---------|---------|
| general | General |
|---------|---------|



| | |
|---------|---------|
| general | General |
|---------|---------|



| | |
|-------------|------------------------------|
| hardwarefab | Hardware Configuration (Fab) |
|-------------|------------------------------|



| | |
|-------------|------------------------------|
| hardwarefab | Hardware Configuration (Fab) |
|-------------|------------------------------|






| | |
|-------------------|----------------------------------|
| manufactureserial | Manufacturer Serial Number Plate |
|-------------------|----------------------------------|

1462



- EV1 ●
- EV2 ●
- EV3 ●
- EV4 ●

- RUN ●
- HLD ●
- x60 ●



PROF

RUN/HOLD

DESPATCH IND.

CAL DATE 10-15-11

OVEN S/N 183011

JOB # 59829

DUE DATE 10-15-12

| | |
|-------------------|----------------------------------|
| manufactureserial | Manufacturer Serial Number Plate |
|-------------------|----------------------------------|

DESIGN INFORMATION AND SPECIFICATION

WARNING

READ THIS EQUIPMENT INTO

OPERATION CONTROL* INSTRUCTION
BOOK IN THE EQUIPMENT MANUAL
AND OPERATE CONTROL AS INSTRUCTED
IN THE EQUIPMENT MANUAL.

THIS EQUIPMENT (SERIAL NUMBER) 183011

HAS BEEN DESIGNED SPECIFICALLY FOR
GLOBAL FOUNDRIES

AND THE FOLLOWING CONDITIONS:

USE OF EQUIPMENT
BAKING TOOLS

AMOUNT OF PRODUCT VARIES

HEATING TIME VARIES

MAX. OPERATING TEMPERATURE 204 °C 400 °F

F.A. DUCT N/A EXH. DUCT 2.00" DIA

F.A. DAMPER BLADE CUT TO N/A

EXH. DAMPER BLADE CUT TO N/A

MINIMUM PURGE TIME REQUIRED 0 MINUTES

TYPE OF SOLVENT (FLAMMABLE LIQUID OR GAS)
N/A

MAXIMUM AMOUNT ALLOWED N/A

DO NOT CHANGE THIS EQUIPMENT OR THE PROCESS
STATED ABOVE WITHOUT WRITTEN PERMISSION FROM
DESPATCH INDUSTRIES, INC.

SERVICE (U.S.): 1-800-473-7373

SERVICE (INT): 1-952-469-8230

WEBSITE: WWW.DESPATCH.COM

074757L

CAUTION

THESE CAUTIONS CAN RESULT IN
PROPERTY DAMAGE.

BEFORE THIS EQUIPMENT READ
THE EQUIPMENT MANUAL CAREFULLY AND
FOLLOW THE WARNING AND INSTRUCTIONS.
CONTACT CUSTOMER SERVICE
IF YOU DO NOT HAVE A MANUAL.
SEE PAGE 10.

THIS EQUIPMENT MUST COMPLY WITH
SAFETY PROCEDURES AND TRAINING
PROCEDURES PERSONNEL AS STATED IN THE
SAFETY AND HEALTH ACT (OSHA)
AND THE NATIONAL FIRE
PROTECTION ASSOCIATION (NFPA) 33.

DO NOT PLACE CLOSED CONTAINERS OF ANY
LIQUID IN THIS OVEN BECAUSE
THEY WILL EXPLODE UNDER HEAT.

DESIGN SPECIFICATIONS

| | |
|----------------------|------------------------|
| SERIAL | <u>183011</u> |
| MODEL | <u>PWB*48x38x64-3E</u> |
| HEATER TYPE | <u>ELECTRIC</u> |
| HEATER CAPACITY | <u>24KW</u> |
| HEATER AMPS | <u>66.6A</u> |
| LINE VOLTAGE | <u>208V-3PH-60HZ</u> |
| LARGEST MOTOR AMPS | <u>8.5A</u> |
| TOTAL MOTOR AMPS | <u>8.5A</u> |
| FULL LOAD AMPS | <u>79.4A</u> |
| MAIN SWITCH AMPS | <u>100A</u> |
| MAIN SWITCH S.C.I.R. | <u>85KA</u> |
| ENCLOSURE S.C.I.R. | <u>5KA</u> |
| GAS SUPPLY | <u>NA</u> |
| ELECTRICAL DWG | <u>306560-*</u> |

P - LINE

1-800-473-7373

1-952-469-8230

WWW.DESPATCH.COM

Despatch

SERVICE (U.S.):

1-800-473-7373

SERVICE (INT):

1-952-469-8230

WEBSITE:

WWW.DESPATCH.COM

PIN 181512A

Additional Configuration Files